



Famexavir

Each tablet contains

Composition

Famciclovir250 mg
Famciclovir500 mg

Indications: Herpes Zoster: Famexavir (famciclovir) is indicated for the treatment of acute herpes zoster (shingles), treatment or suppression of recurrent genital herpes in immunocompetent patients, and treatment of recurrent mucocutaneous herpes simplex infections in HIV-infected patients.

Description

Famciclovir undergoes rapid biotransformation to the active compound, penciclovir, which is phosphorylated by viral thymidine kinase in HSV-1, HSV-2, and VZV-infected cells to a monophosphate form; this is then converted to penciclovir triphosphate and competes with deoxyguanosine triphosphate to inhibit HSV-2 polymerase (eg, herpes viral DNA synthesis/replication is selectively inhibited)

Warnings/Precautions

Has not been established for use in initial episodes of genital herpes, patients with ophthalmic or disseminated zoster, or in immunocompromised patients with herpes zoster. Dosage adjustment is required in patients with renal insufficiency. Tablets contain lactose; do not use with galactose intolerance, severe lactase deficiency, or glucose-galactose malabsorption syndromes. Safety and efficacy have not been established in children <18 years of age.

Contraindications

Hypersensitivity to famciclovir, penciclovir, or any component of the formulation

Dosage and Administration

Adults : Herpes zoster: 250 mg three times daily for 7 days or 750 mg once daily for 7 days (500 mg three times daily for 10 days in immunocompromised). Genital herpes: First episode: 250 mg three times daily for 5 days; recurrent infection, 125 mg twice daily for 5 days (500 mg twice daily for 7 days in all episodes in immunocompromised). Suppression of recurrent genital herpes: 250 mg twice daily (500 mg twice daily in HIV patients) interrupted every 6-12 months. Children: Not recommended

Interactions

Uricosurics: probenecid possibly reduces famciclovir excretion thereby increasing plasma concentration



FAMEXAVIR™
Famciclovir 250/300 mg
Tablet



Famexavir

Dosage

As per the physician's advice.

Presentations

10 tablets

7 tablets

Note : This product information is intended only for residents of the India. Taj Pharmaceuticals Limited, medicines help to treat and prevent a range of conditions—from the most common to the most challenging—for people around the world.

Information for Health Care Professionals

*** Please consult local Prescribing Information for any product before use. This website is an international information resource for healthcare professionals with an interest in disease management. This website is not intended to replace the advice of a qualified healthcare professional. Above brand is a trademark of the Taj group of companies (Taj Pharmaceuticals Limited).

